



## COMPATIBILITY CHART

DEPENDABLE PATHOGEN CONTROL  
**PROTECTS AGAINST DAMPING-OFF,  
 WILT AND ROOT ROT DISEASES**



FUNGICIDES			
ACTIVE INGREDIENT	RECOMMENDED INTERVAL (DAYS)	ACTIVE INGREDIENT	RECOMMENDED INTERVAL (DAYS)
Benomyl	0	Maneb	3
Bupirimate	2	Metalaxyl-M / Mefenoxam	0
Captan	3	Phosetyl-Al	0
Carbendazim	1	Prochloraz	2
Carboxin+oxine-copper	1	Propamocarb	0
Chinomethionate	0	Propiconazole	0
Chlorothalonil	1	Pyrazophos	1
Dichlofluanid	1	Quintozene	1
Etridiazole	1	Thiophanate-methyl	0
Fenarimol	0	Thiophanate-methyl-oxine copper	2
Fludioxonil	0	Triadimenol	0
Furalaxyl	1	Triflumizol	0
Hymexazole	0	Triforine	3
Imazalil	2	Thiram	2
Iprodione	3	Vinclozolin	0
Mancozeb	3		
INSECTICIDES			
Insecticides that are sprayed to the foliage are compatible with LALSTOP K61 WP growing media treatment.			
OTHER			
Chlormequat chloride			0
Indolylbutyric acid (IBA)			0
1-naphthylacetic acid (NAA)			0
NEMATODES			
LALSTOP K61 WP is compatible with entomopathogenic nematodes.			
DISINFECTANTS			
LALSTOP K61 WP can be used simultaneously with Resiclean (concentration below 50 ppm). The recommended interval between applications of other products and LALSTOP K61 WP is 1 day.			

Please consult with a Lallemand Plant Care representative before tank-mixing with any of these or other pesticide products.